

- Attention-deficit-hyperactivity disorder
 Co-occurrence of developmental delays among preschool children with, 483
 Fine motor skills and effects of methylphenidate in children with, and developmental coordination disorder, 165
 First-onset tics in patients with, : impact of stimulants, 616 (R)
 Developmental dissociation, deviance, and delay: occurrence of, in individuals with and without borderline-to-mild intellectual disability, 831
 Atypical clinical course in juvenile metachromatic leukodystrophy involving novel arylsulfatase A gene mutations, 383 (CR)
 Atypical presentation of ataxia-oculomotor apraxia type 1, 529 (CR)
 Autism
 and newborn encephalopathy?, 84 (C)
 Cerebrospinal fluid insulin-like growth factors IGF-1 and IGF-2 in infantile, 751
 Differences in finger length ratio between males with, pervasive developmental disorder- not otherwise specified, ADHD, and anxiety disorders, 962
 following a history of newborn encephalopathy: more than a coincidence?, 85
 Gait function in newly diagnosed children with, : cerebellar and basal ganglia related motor disorder, 819
 Movement-related potentials in high-functioning, and Asperger's disorder, 272
 Sensorimotor performance in school-age children with, developmental language disorder or low IQ, 33
 Sleep electroencephalograms in young children with, with and without regression, 604
 Autism spectrum disorder(s)
 and underlying brain pathology in CHARGE association, 40
 Congenital anomalies associated with, 500
 see also Dosman CF et al.
 see also Knickmeyer RC et al.
 Autistic
 regression associated with seizure onset in an infant with tuberous sclerosis, 609 (CR)
 Aylett SE et al.: Eye rolling as a manifestation of clobazam toxicity in a child with epilepsy, 612 (CR)

B

- Badawi N et al.:
 Autism following a history of newborn encephalopathy: more than a coincidence?, 85
 Proposed new definition of cerebral palsy does not solve any of the problems of existing definitions, 78 (L)
 Bagley AM et al.: Unilateral below elbow test: a function test for children with unilateral congenital below elbow deficiency, The, 569
 Baird G et al.: Sleep electroencephalograms in young children with autism with and without regression, 604
 Balancing certainty and uncertainty in clinical

- medicine, 74 (R)
 Banerjee KJ et al.: Parotid and submandibular botulinum toxin A injections for sialorrhoea in children with cerebral palsy, 883
 Bar-Haim S et al.: Comparison of efficacy of Adeli suit and neurodevelopmental treatments in children with cerebral palsy, 325
 Barnérias C et al.: Respiratory chain deficiency in a female with Aicardi-Goutières syndrome, 227 (CR)
 Bastos JA et al.: Assessing mathematical abilities in elementary schools, 943 (L)
 Bates G: Medication in the treatment of the behavioural sequelae of traumatic brain injury, 697 (R)
 Baxter P:
 Cerebral palsy: synergism, pathways, and prevention, 3 (E)
 Diagnosing epilepsy, 323 (E)
 Medicine and the pharmaceutical industry, 627 (E)
 Normality and abnormality, 867 (E)
 Treatment of the heart in Duchenne muscular dystrophy, 163 (E)
 Bialocerkowski A et al.: Reliability of the V-scope system in the measurement of arm movement in children with obstetric brachial plexus palsy, 913
 Biobehavioural reactivity to pain in preterm infants: a marker of neuromotor development, 471
 Blair E: Trends in cerebral palsy prevalence in Northern Ireland, 1981-1997, 405 (C)
Books Reviewed
 Coleman M (ed): *Neurology of Autism, The*, 400
 Monnigh S, Young ID, Hatchwell E: *Genetics for Pediatricians*, 63
 Tuchman R and Rapin I (eds): *Autism: A Neurological Disorder of Early Brain Development*, 862
 Botulinum toxin
 AACPD systematic review of the effectiveness of therapy for children with cerebral palsy after, injections, 533 (R)
 as an adjunct to motor learning therapy and surgery for obstetrical brachial plexus injury, 245
 see also Graham HK
 Botulinum toxin A
 Low-dose/high-concentration localized, improves upper limb movement and function in children with hemiplegic cerebral palsy, 170
 Parotid and submandibular, injections for sialorrhoea in children with cerebral palsy, 883
 Treatment of adductor spasticity with, in children with cerebral palsy: a randomized, double-blind, placebo-controlled study, 10
 see also Linder-Lucht M
 Boulton M et al.: Health-related quality of life of children with vision impairment or blindness, 656
 Bourke JP: Cardiac monitoring and treatment for children and adolescents with neuromuscular disorders, 164 (C)
 Braun KJP et al.: Diagnostic pitfalls in paediatric ischaemic stroke, 985
 Brown RM et al.: Pyruvate dehydrogenase E3 binding protein (protein X) deficiency, 756

C

- Campistol-Plana et al.: Palatal tremor in childhood: clinical and therapeutic considerations, 982
- Cardiac monitoring and treatment for children and adolescents with neuromuscular disorders, 164 (C)
- Cardiac monitoring and treatment for children and adolescents with neuromuscular disorders, 231 (R)
- Carter JA et al.: Severe falciparum malaria and acquired childhood language disorder, 51
- Cerebral palsy
- AACPDM systematic review of the effectiveness of therapy for children with, after botulinum toxin-A injections, 533 (R)
 - Activities of daily living in children with hemiplegic, : a cross-sectional evaluation using the Assessment of Motor and Process Skills, 723
 - Activity limitation in hemiplegic, : evidence for disorders in motor planning, 780 (R)
 - A systematic review of the self-concept of children with, compared with children without disability, 151 (R)
 - Clinical assessment of spasticity in children with, : a critical review of available instruments, 64 (R)
 - Comparing functional profiles of children with hemiplegic and diplegic, in GMFCS Levels I and II: are separate classifications needed?, 797
 - Comparison of efficacy of Adeli suit and neuro-developmental treatments in children with, 325
 - Dislocation of the hips in children with bilateral spastic, 1985–2000, 555
 - Do the abilities of children with, explain their activities and participation?, 954
 - Drooling in children with cerebral palsy; effect of salivary flow reduction on daily life and care, 103
 - Eating and feeding are not the same: caregivers' perceptions of gastrostomy feeding for children with, 713
 - Effectiveness of passive stretching in children with, The, 855 (R)
 - Efficacy of a child-friendly form of constraint-induced movement therapy in hemiplegic, : a randomized control trial, 635
 - Efficacy of Adeli suit treatment in children with, The, 324 (C)
 - Electrical stimulation in, : a randomized controlled trial, 870
 - Electrical stimulation in, : are we asking clinically relevant questions?, 868 (C)
 - Factor V Leiden mutation: a contributory factor for, 14
 - Gastrostomy feeding in, : too much of a good thing?, 869 (C)
 - Gastrostomy feeding in, : too much of a good thing?, 877
 - Gross and fine motor function and accompanying impairments in, 417
 - Gross Motor Function Classification System used in adults with, : agreement of self-reported versus professional rating, 734
 - Influence of equinus treatments on the vertical displacement of the body's centre of mass in children with, 813
 - Longitudinal use of the Child Health Questionnaire in childhood, 343
 - Long-term survival for a cohort of adults with, 90
 - Low doses of pamidronate to treat osteopenia in children with severe, : a pilot study, 709
 - Low-dose/high-concentration localized botulinum toxin A improves upper limb movement and function in children with hemiplegic, 170
 - Manual Ability Classification System (MACS) for children with, : scale development and evidence of validity and reliability, The, 549
 - Measurement tools: new opportunities for children with, 548 (C)
 - Metabolite profile in the basal ganglia of children with, : a proton magnetic resonance spectroscopy study, 285
 - Movement patterns of the upper extremity and trunk before and after corrective surgery of impaired forearm rotation in patients with, 436
 - Moving beyond restraints: development of hand-arm bimanual intensive therapy (HABIT) for improving bimanual coordination in children with hemiplegic, 931 (R)
 - Muscle stiffness and strength and their relation to hand function in children with hemiplegic, 728
 - Neuromuscular electrical stimulation and dynamic bracing for the management of upper-extremity spasticity in children with, 559
 - Parotid and submandibular botulinum toxin A injections for sialorrhoea in children with, 883
 - Passive and dynamic rotation of the lower limbs in children with diplegic, 176
 - PedsQL in pediatric, : reliability, validity, and sensitivity of the Generic Core Scales and, Module, The, 442
 - Postural management for children with, : consensus statement, 244
 - Prevalence of, in the West of Ireland 1990–1999, 892
 - Prevalence of, in Turkish children between the ages of 2 and 16 years, 413
 - Reading and spelling abilities in children with severe speech impairments and, at 6, 9, and 12 years of age in relation to cognitive development: a longitudinal study, 629
 - Reliability of the Manual Ability Classification System for children with, 950
 - Sleep disorders in children with, 564
 - Social adjustment of children with, in mainstream classes: peer perception, 331
 - Social integration of adults with, 643
 - synergism, pathways, and prevention, 3 (E)
 - Synergistic muscle activation during maximum voluntary activation in children with and without spastic, 789
 - Transient dystonic toe-walking: differentiation from, and a rare explanation for some unexplained cases of idiopathic toe-walking, 96
 - Treatment of adductor spasticity with botulinum toxin A in children with, : a randomized, double-blind, placebo-controlled study, 10
 - Trends in the prevalence of, in Northern Ireland, 1981–1997, 406
 - Trends in, prevalence in Northern Ireland, 1981–1997, 405 (C)

Use of ergonomic spoons by people with, : effects on food spilling and movement kinematics, *The*, 888

Using the Manual Ability Classification System to facilitate communication about manual abilities of children with, 948 (C)

see also Badawi N et al.

see also Graham HK

see also Graham HK and Rodda JM

see also Linder-Lucht M

Cerebrospinal fluid insulin-like growth factors IGF-1 and IGF-2 in infantile autism, 751

Change of focus, A, 784 (Personal View)

Charles JR and Gordon AM: Moving beyond restraints: development of hand-arm bimanual intensive therapy (HABIT) for improving bimanual coordination in children with hemiplegic cerebral palsy, 931 (R)

Charles JR et al.: Efficacy of a child-friendly form of constraint-induced movement therapy in hemiplegic cerebral palsy: a randomized control trial, 635

Childhood chorea-encephalopathy associated with human parvovirus B19 infection, 526 (CR)

Childhood encephalopathy: viruses, immune response, and outcome, 294

Chu M-L and Sala DA: Use of tiagabine in pediatric spasticity management, *The*, 456

Clark M et al.: Lower motor neuron involvement in perisylvian polymicrogyria, 842

Clarke M et al.: Childhood encephalopathy: viruses, immune response, and outcome, 294

Clinical assessment of spasticity in children with cerebral palsy: a critical review of available instruments, 64 (R)

Clinical use of the Mayo-Portland Adaptability Inventory in rehabilitation after paediatric acquired brain injury, 918

Clinician agreement on gait pattern ratings in children with spastic hemiplegia, 429

Clustering syncope in a young male with temporal lobe seizures, 687 (CR)

Comparing functional profiles of children with hemiplegic and diplegic cerebral palsy in GMFCS Levels I and II: are separate classifications needed?, 797

Comparison of efficacy of Adeli suit and neurodevelopmental treatments in children with cerebral palsy, 325

Congenital anomalies associated with autism spectrum disorders, 500

Congenital oro-motor disorders, 787 (E)

Co-occurrence of developmental delays among preschool children with attention-deficit-hyperactivity disorder, 483

Coping with Dravet syndrome: parental experiences with a catastrophic epilepsy, 761

Cordeiro NJV et al.: Renal vascular disease in neurofibromatosis type 2: association or coincidence?, 58 (CR)

Craig GM et al.: Medical, surgical, and health outcomes of gastrostomy feeding, 353

Cross-informant agreement between adolescents with myelomeningocele and their parents, 188

Curatolo P: Tuberous sclerosis: genes, brain, and behaviour, 404 (E)

Cyanotic episodes in a male child with fragile X syndrome, 690 (CR)

D

Dahlgren Sandberg A: Reading and spelling abilities in children with severe speech impairments and cerebral palsy at 6, 9, and 12 years of age in relation to cognitive development: a longitudinal study, 629

Damiano D et al.: Comparing functional profiles of children with hemiplegic and diplegic cerebral palsy in GMFCS Levels I and II: are separate classifications needed?, 797

Dammann O et al.: Absence of pestivirus antigen in brains with white matter damage, 290

Dammann O: Evidence-based child neurology, 622 (R)

Dan B and Boyd SG: Neurophysiological perspective on sleep and its maturation, A, 773 (R)

Dan B et al.: Dan B et al. reply 79 (L) '

Danchaivijit N et al.: Post-varicella intracranial haemorrhage in a child, 139 (CR)

Davis BE et al.: Acquisition of autonomy skills in adolescents with myelomeningocele, 253

Davis E et al.: Paediatric quality of life instruments: a review of the impact of the conceptual framework on outcomes, 311 (R)

de Boer L et al.: Psychosocial, cognitive, and motor functioning in patients suspected of Sotos syndrome: a comparison between patients with and without NSD1 gene alterations, 582

de Bruin EI et al.: Differences in finger length ratio between males with autism, pervasive developmental disorder- not otherwise specified, ADHD, and anxiety disorders, 962

de Graaf-Peters VB et al.: Specific postural support promotes variation in motor behaviour of infants with minor neurological dysfunction, 966

De Tiège X et al.: Herpes simplex encephalitis: diagnostic problems and late relapse, 60 (CR)

Decreased activities of mitochondrial respiratory chain complexes in non-mitochondrial respiratory chain diseases, 132

DeMatteo C et al.: Botulinum toxin as an adjunct to motor learning therapy and surgery for obstetrical brachial plexus injury, 245

Developmental coordination disorder

Evaluation of the, Questionnaire as a screening instrument, 668

Fine motor skills and effects of methylphenidate in children with attention-deficit-hyperactivity disorder and, 165

Terminology used in research reports of, 937 (R)

Developmental dissociation, deviance, and delay: occurrence of attention-deficit-hyperactivity disorder in individuals with and without borderline-to-mild intellectual disability, 831

Devlin LA et al.: Tuberous sclerosis complex: clinical features, diagnosis, and prevalence within Northern Ireland, 495

Diagnosing epilepsy, 323 (E)

Diagnostic pitfalls in paediatric ischaemic stroke, 982

Differences between European birthweight standards: impact on classification of 'small for gestational age', 906

D

Dahlgren Sandberg A: Reading and spelling abilities in children with severe speech impairments and cerebral palsy at 6, 9, and 12 years of age in relation to cognitive development: a longitudinal study, 629

Damiano D et al.: Comparing functional profiles of children with hemiplegic and diplegic cerebral palsy in GMFCS Levels I and II: are separate classifications needed?, 797

Dammann O et al.: Absence of pestivirus antigen in brains with white matter damage, 290

Dammann O: Evidence-based child neurology, 622 (R)

Dan B and Boyd SG: Neurophysiological perspective on sleep and its maturation, A, 773 (R)

Dan B et al.: Dan B et al. reply 79 (L) '

Danchaivijitr N et al.: Post-varicella intracranial haemorrhage in a child, 139 (CR)

Davis BE et al.: Acquisition of autonomy skills in adolescents with myelomeningocele, 253

Davis E et al.: Paediatric quality of life instruments: a review of the impact of the conceptual framework on outcomes, 311 (R)

de Boer I et al.: Psychosocial, cognitive, and motor functioning in patients suspected of Sotos syndrome: a comparison between patients with and without NSD1 gene alterations, 582

de Bruin EI et al.: Differences in finger length ratio between males with autism, pervasive developmental disorder—not otherwise specified, ADHD, and anxiety disorders, 962

de Graaf-Peters VB et al.: Specific postural support promotes variation in motor behaviour of infants with minor neurological dysfunction, 966

De Tiège X et al.: Herpes simplex encephalitis: diagnostic problems and late relapse, 60 (CR)

Decreased activities of mitochondrial respiratory chain complexes in non-mitochondrial respiratory chain diseases, 132

DeMatteo C et al.: Botulinum toxin as an adjunct to motor learning therapy and surgery for obstetrical brachial plexus injury, 245

Developmental coordination disorder

Evaluation of the, Questionnaire as a screening instrument, 668

Fine motor skills and effects of methylphenidate in children with attention-deficit-hyperactivity disorder and, 165

Terminology used in research reports of, 937 (R)

Developmental dissociation, deviance, and delay: occurrence of attention-deficit-hyperactivity disorder in individuals with and without borderline-to-mild intellectual disability, 831

Devlin LA et al.: Tuberous sclerosis complex: clinical features, diagnosis, and prevalence within Northern Ireland, 495

Diagnosing epilepsy, 323 (E)

Diagnostic pitfalls in paediatric ischaemic stroke, 982

Differences between European birthweight standards: impact on classification of 'small for gestational age', 906

- Differences in finger length ratio between males with autism, pervasive developmental disorder – not otherwise specified, ADHD, and anxiety disorders, 962
- Dislocation of the hips in children with bilateral spastic cerebral palsy, 1985–2000, 555
- Do the abilities of children with cerebral palsy explain their activities and participation?, 954
- Dobson F et al.: Clinician agreement on gait pattern ratings in children with spastic hemiplegia, 429
- Dolk H et al.: Trends in the prevalence of cerebral palsy in Northern Ireland, 1981–1997, 406
- Doo S and Wing YK: Sleep problems of Chinese children with pervasive developmental disorders in Hong Kong: correlation with parental stress, 650
- Dosman CF et al.: Ferritin as an indicator of suspected iron deficiency in children with autism spectrum disorder: prevalence of low serum ferritin concentration, 1008 (L)
- Droling in children with cerebral palsy: effect of salivary flow reduction on daily life and care, 103
- Dubois-Teklali F et al.: Clustering syncope in a young male with temporal lobe seizures, 687 (CR)
- Duchenne muscular dystrophy
- Management of scoliosis in: a large 10-year retrospective study, 513
 - Measurement in: considerations in the development of a neuromuscular assessment tool, 540 (R)
 - see also Meune C
- Dusing SC et al.: Gross motor abilities in children with Hurler syndrome, 927 (CR)
- Dutkowsky JP: Change of focus, A, 784 (Personal view)

E

- Early motor development and later language and reading skills in children at risk of familial dyslexia, 367
- Early onset calpainopathy with normal non-functional calpain 3 level, 304 (CR)
- Early speech- and language-impaired children: linguistic, literacy, and social outcomes, 489
- Eating and feeding are not the same: caregivers' perceptions of gastrostomy feeding for children with cerebral palsy, 713
- Effect of age and sex on maturation of sensory systems and balance control, 477
- Effectiveness of passive stretching in children with cerebral palsy, The, 855 (R)
- Efficacy of
- a child-friendly form of constraint-induced movement therapy in hemiplegic cerebral palsy: a randomized control trial, 635
- Adeli suit treatment in children with cerebral palsy, The, 324 (C)
- very high dose steroid treatment in a case of Landau-Kleffner syndrome, 766 (CR)
- Electrical stimulation
- in cerebral palsy: a randomized controlled trial, 870
 - in cerebral palsy: are we asking clinically relevant questions?, 868 (C)
- Eliasson A-C et al.: Manual Ability Classification System (MACS) for children with cerebral palsy: scale development and evidence of validity and reliability, The, 549

- English KM and Gibbs JL: Cardiac monitoring and treatment for children and adolescents with neuromuscular disorders, 231 (R)

Epilepsy

- Aggravation of, by antiepileptic drugs, 394 (R)
 - Coping with Dravet syndrome: parental experiences with a catastrophic, 761
 - Executive functions and seizure-related factors in children with, in Western Norway, 519
 - Eye rolling as a manifestation of clobazam toxicity in a child with, 612 (CR)
 - Long-term use of the ketogenic diet in the treatment of, 978
 - Parental psychopathology and self-rated quality of life in Nigerian adolescents with, 600
 - Psychosocial problems and seizure-related factors in children with epilepsy, 213
 - Specific memory impairment in a multiple disabled male with fragile X syndrome and temporal lobe, 378 (CR)
 - Use of the ketogenic diet as a long-term treatment for intractable, The, 949 (C)
 - Vagus nerve stimulation for treatment of, in Rett syndrome, 683
 - see also Lew A
 - see also Parr JR
- Errata** 159, 230, 398, 624, 783, 864, 1024
- Ethnic differences in achievement of developmental milestones by 9 months of age: the Millennium Cohort Study, 825
- Evaluation of the Developmental Coordination Disorder Questionnaire as a screening instrument, 668
- Evidence from two genetic syndromes for the independence of spatial and visual working memory, 126
- Evidence-based child neurology, 622 (R)
- Executive functions and seizure-related factors in children with epilepsy in Western Norway, 519
- Eye rolling as a manifestation of clobazam toxicity in a child with epilepsy, 612 (CR)

F

- Factor V Leiden mutation: a contributory factor for cerebral palsy?, 14
- Feeding
- Abnormal physiological responses to touch among children with persistent, difficulties, 460
 - Maturation changes in the rhythms, patterning, and coordination of respiration and swallowing during, in preterm and term infants, 589
- Ferrie C et al.: Panayiotopoulos syndrome: a consensus view, 236 (R)
- Ferrie C: Ferrie replies on behalf of the Internal Consortium who produced the consensus view 703 (L) [see Parisi et al.]
- Fetal and infant movements and the young nervous system, 547 (E)
- Fine motor skills and effects of methylphenidate in children with attention-deficit-hyperactivity disorder and developmental coordination disorder, 165
- Finsterer J and Stollberger C: Management of cardiac involvement in neuromuscular disorders, 863 (L)

- Firat AK et al.: Magnetic resonance spectroscopic characteristics of glutaric aciduria type II, 847 (CR)
- First-onset tics in patients with attention-deficit-hyperactivity disorder: impact of stimulants, 616 (R)
- Firth AY and Walker K: Visual side effects from transdermal scopolamine (hyoscine), 137 (CR)
- Flapper BCT et al.: Fine motor skills and effects of methylphenidate in children with attention-deficit-hyperactivity disorder and developmental coordination disorder, 165
- Fombonne E: Autism and newborn encephalopathy, 84 (C)
- Fong CY and de Sousa C: Childhood chorea-encephalopathy associated with human parvovirus B19 infection, 526 (CR)
- Fosi T et al.: Cognitive competence at the onset of West syndrome, 942 (L)
- Foster CJ et al.: Neurodevelopmental outcomes in children with HIV infection under 3 years of age, 677
- Foye PM: Genetic testing for myotubular myopathy despite muscle biopsy without centrally located nuclei, 1011 (L)
- Fragile X syndrome
Cyanotic episodes in a male child with, 690 (CR)
Specific memory impairment in a multiple disabled male with, and temporal lobe epilepsy, 378 (CR)
- Freitag CM et al.: Neurophysiology of nocturnal enuresis: evoked potentials and prepulse inhibition of the startle reflex, 278
- Functional independence among young adults with spina bifida, in relation to hydrocephalus and level of lesion, 114
- Future of neurodevelopmental medicine – 'It ain't what it used to be', The, 947 (E)

G

- Gait function in newly diagnosed children with autism: cerebellar and basal ganglia related motor disorder, 819
- Gallagher S et al.: Efficacy of very high dose steroid treatment in a case of Landau-Kleffner syndrome, 766 (CR)
- Garbutt S et al.: Infant saccades are not slow, 662
- Gastrostomy
Eating and feeding are not the same: caregivers' perceptions of, feeding for children with cerebral palsy, 713
feeding in cerebral palsy: too much of a good thing?, 869 (C)
feeding in cerebral palsy: too much of a good thing?, 877
Medical, surgical, and health outcomes of, feeding, 353
- Gayatri NA and Livingston JH: Aggravation of epilepsy by antiepileptic drugs, 394 (R)
- Gemütlichkeit – A Pro or a Con in Medicine?, 1003 (Personal view)
- Gericke T: Postural management for children with cerebral palsy: consensus statement, 244
- Gewolb IH and Vice FL:
Abnormalities in the coordination of respiration and swallow in preterm infants with bronchopulmonary dysplasia, 595

- Maturation changes in the rhythms, patterning, and coordination of respiration and swallowing during feeding in preterm and term infants, 589
- Gilbert DL: Interobserver reliability of visual interpretation of electroencephalograms in children with newly diagnosed seizures, 1009 (L)
- Gisel E: Gastrostomy feeding in cerebral palsy: too much of a good thing?, 869 (C)
- Glogowska M et al.: Early speech- and language-impaired children: linguistic, literacy, and social outcomes, 489
- Gordon N: Alpers Syndrome: progressive neuronal degeneration of children with liver disease, 1001 (R)
- Graham HK and Rodda JM: Botulinum toxin and cerebral palsy: time for reflection?, 399 (L)
- Graham HK: Absence of reference to progressive musculoskeletal pathology in definition of cerebral palsy, 78 (L)
- Gram-negative meningitis and infections in individuals treated with intrathecal baclofen for spasticity: a retrospective review, 450
- Groesbeck DK et al.: Long-term use of the ketogenic diet in the treatment of epilepsy, 978
- Gross and fine motor function and accompanying impairments in cerebral palsy, 417
- Gross motor abilities in children with Hurler syndrome, 927 (CR)
- Gross Motor Function Classification System
Stability of the, 424
used in adults with cerebral palsy: agreement of self-reported versus professional rating, 734
see also Maltais DB
- Gross-Tsur V et al.: Impact of sex and subtypes on cognitive and psychosocial aspects of ADHD, The, 901
- Grunau RE et al.: Biobehavioural reactivity to pain in preterm infants: a marker of neuromotor development, 471
- Guillem P et al.: Trends, perinatal characteristics, and medical conditions in pervasive developmental disorders, 896

H

- Hagwall N et al.: Periventricular leukomalacia and retinopathy in a term infant born to a mother with asthma, 301 (CR)
- Haley SM et al.: A physical performance measure for individuals with mucopolysaccharidosis type I, 576
- Hamano SI et al.: Intravenous lidocaine for status epilepticus during childhood, 220
- Hart H: Fetal and infant movements and the young nervous system, 547 (E)
- Hayward R: Balancing certainty and uncertainty in clinical medicine, 74 (R)
- Health-related quality of life of children with vision impairment or blindness, 656
- Hemiplegia
Clinician agreement on gait pattern ratings in children with spastic, 429
Recurrent, associated with cerebral vasculopathy following third trimester maternal herpes zoster infection, 988 (CR)

Hemming K et al.:

Differences between European birthweight standards: impact on classification of 'small for gestational age', 906

Long-term survival for a cohort of adults with cerebral palsy, 90

Henderson R: Low doses of pamidronate for the treatment of osteopenia in non-ambulatory children, 708 (C)

Herpes simplex encephalitis: diagnostic problems and late relapse, 60 (CR)

Himmelmann K et al.: Gross and fine motor function and accompanying impairments in cerebral palsy, 417

Høie B et al.:

Executive functions and seizure-related factors in children with epilepsy in Western Norway, 519

Psychosocial problems and seizure-related factors in children with epilepsy, 213

Hui J et al.: Decreased activities of mitochondrial respiratory chain complexes in non-mitochondrial respiratory chain diseases, 132

Humphrey A et al.: Autistic regression associated with seizure onset in an infant with tuberous sclerosis, 609 (CR)

Hydrocephalus

Functional independence among young adults with spina bifida in relation to, and level of lesion, 114

Questionnaire for assessing parents' concerns about their child with, 108

Vision in children with, 836

Hyman SL et al.: Learning disabilities in children with neurofibromatosis type 1: subtypes, cognitive profile, and ADHD, 973

I

Impact of sex and subtypes on cognitive and psychosocial aspects of ADHD, The, 901

Impaired motor performance and movement quality in very-low-birthweight children at 6 years of age, 718

Infant saccades are not slow, 662

Infantile posture asymmetry and osteopathic treatment: a randomized therapeutic trial, 4 (C)

Infantile posture asymmetry and osteopathic treatment: a randomized therapeutic trial, 5

Influence of equinus treatments on the vertical displacement of the body's centre of mass in children with cerebral palsy, 813

Initial development and validation of the Caregiver Priorities and Child Health Index of Life with Disabilities (CPCHILD), 804

Internet 2006, The, 707 (E)

Interobserver reliability of the visual interpretation of the electroencephalogram in children with newly diagnosed seizures, 374 [see also Gilbert DL]

Intravenous lidocaine for status epilepticus during childhood, 220

J

Jahnsen R et al.: Gross Motor Function Classification System used in adults with cerebral palsy: agreement of self-reported versus professional rating, 734

Jambaqué I et al.: Severe memory impairment in a child with bihippocampal injury after status epilepticus, 223 (CR)

Johansson M et al.: Autism spectrum disorders and underlying brain pathology in CHARGE association, 40

K

Karakas HM et al.: Unilateral reverse ocular bobbing caused by tuberous sclerosis, 851 (CR)

Kelly Y et al.: Ethnic differences in achievement of developmental milestones by 9 months of age: the Millennium Cohort Study, 825

Kennedy C: Light at the end of the tunnel for the blind leading the blind, 83 (E)

Kerr C et al.: Electrical stimulation in cerebral palsy: a randomized controlled trial, 870

Kinali M et al.: Management of scoliosis in Duchenne muscular dystrophy: a large, 10-year retrospective study, 513

Knickmeyer RC et al.: Age of menarche in females with autism spectrum conditions, 1007 (L)

Kojc N et al.: Pacinioma of the cauda equina, 994 (CR)

Kostovic I and Judas M: Protracted coexistence of transient and permanent circuitry elements in the developing cerebral cortex of late fetuses and preterm infants, 388 (R)

Kreulen M et al.: Movement patterns of the upper extremity and trunk before and after corrective surgery of impaired forearm rotation in patients with cerebral palsy, 436

Kronenberg ME et al.: Neurodevelopmental outcome in children born to mothers with hypertension in pregnancy: the significance of suboptimal intrauterine growth, 200

Kulak W et al.: Metabolite profile in the basal ganglia of children with cerebral palsy: a proton magnetic resonance spectroscopy study, 285

Kulkarni AV: Questionnaire for assessing parents' concerns about their child with hydrocephalus, 108

L

Lannin N et al.: AACPDM systematic review of the effectiveness of therapy for children with cerebral palsy after botulinum toxin-A injections, 533 (R)

Lanzillo R et al.: Early onset calpainopathy with normal non-functional calpain 3 level, 304 (CR)

Laurent-Vannier A et al.: Assessment of unilateral spatial neglect in children using the Teddy Bear Cancellation Test, 120

Law M et al.: Patterns of participation in recreational and leisure activities among children with complex physical disabilities, 337

Learning disabilities in children with neurofibromatosis type 1: subtypes, cognitive profile, and ADHD, 973

Lew A et al.: Psychosocial problems and seizure-related factors in children with epilepsy, 704 (L)

Light at the end of the tunnel for the blind leading the blind, 83 (E)

Lin J-P: Synergistic muscle activation during maximum voluntary activation in children with and without spastic cerebral palsy, 788 (C)

- Linder-Lucht M et al.: Why do children with cerebral palsy discontinue therapy with botulinum toxin A?, 319 (L)
- Longitudinal use of the Child Health Questionnaire in childhood cerebral palsy, 343
- Long-term
outcome of children with cortical visual impairment, 508
survival for a cohort of adults with cerebral palsy, 90
use of the ketogenic diet in the treatment of epilepsy, 978
- Low dose(s)
of pamidronate for the treatment of osteopenia in non-ambulatory children, 708 (C)
of pamidronate to treat osteopenia in children with severe cerebral palsy: a pilot study, 709
/high-concentration localized botulinum toxin A improves upper limb movement and function in children with hemiplegic cerebral palsy, 170
- Lowe K et al.: Low-dose/high-concentration localized botulinum toxin A improves upper limb movement and function in children with hemiplegic cerebral palsy, 170
- Lower motor neuron involvement in perisylvian polymicrogyria, 842

M

- Mack K: Approach to children with chronic daily headache, An, 997 (R)
- Magalhães LC et al.: Terminology used in research reports of developmental coordination disorder, 937 (R)
- Magnetic resonance spectroscopic characteristics of glutaric aciduria type II, 847 (CR)
- Mall V et al.: Treatment of adductor spasticity with botulinum toxin A in children with cerebral palsy: a randomized, double-blind, placebo-controlled study, 10
- Maltais DB and Oded B: Assessing functional differences in gross motor skills in children with cerebral palsy who use an ambulatory aid or orthoses: can the GMFM help?, 158 (L)
- Management of scoliosis in Duchenne muscular dystrophy: a large, 10-year retrospective study, 513
- Mandelbaum DE et al.: Sensorimotor performance in school-age children with autism, developmental language disorder, or low IQ, 33
- Mantovani J: Future of neurodevelopmental medicine – 'It ain't what it used to be', The, 947 (E)
- Manual Ability Classification System (MACS) for children with cerebral palsy: scale development and evidence of validity and reliability, The, 549
- Massaad F et al.: Influence of equinus treatments on the vertical displacement of the body's centre of mass in children with cerebral palsy, 813
- Maternal herpes labialis in pregnancy and neural tube defects, 674
- Matsuba CA and Jan JE: Long-term outcome of children with cortical visual impairment, 508
- Maturation changes in the rhythms, patterning, and coordination of respiration and swallowing during feeding in preterm and term infants, 589
- Measurement in Duchenne muscular dystrophy: considerations in the development of a neuromuscular assessment tool, 540 (R)
- Measurement tools: new opportunities for children with cerebral palsy, 548 (C)
- Medical, surgical, and health outcomes of gastrostomy feeding, 353
- Medication in the treatment of the behavioural sequelae of traumatic brain injury, 697 (R)
- Medicine and the pharmaceutical industry, 627 (E)
- Meester-Delver A et al.: Predicting additional care in young children with neurodevelopmental disability: a systematic literature review, 143 (R)
- Metabolite profile in the basal ganglia of children with cerebral palsy: a proton magnetic resonance spectroscopy study, 285
- Meune C and Duboc D: How should physicians manage patients with Duchenne muscular dystrophy when experts' recommendations are not unanimous?, 863 (L)
- Michelsen SI et al.: Social integration of adults with cerebral palsy, 643
- Miller JL et al.: Sex differences in prenatal oral-motor function and development, 465
- Miller-Horn J et al.: Cyanotic episodes in a male child with fragile X syndrome, 690 (CR)
- Miniscalco C et al.: Neuropsychiatric and neurodevelopmental outcome of children at age 6 and 7 years who screened positive for language problems at 30 months, 361
- Mongan D et al.: Prevalence of cerebral palsy in the West of Ireland 1990–1999, 892
- Morris C and Rosenbaum P: The GMFCS does not produce a score, 702 (L)
- Morris C et al.:
Do the abilities of children with cerebral palsy explain their activities and participation?, 954
Reliability of the Manual Ability Classification System for children with cerebral palsy, 950
- Morton RE et al.: Dislocation of the hips in children with bilateral spastic cerebral palsy, 1985–2000, 555
- Motor
Activity limitation in hemiplegic cerebral palsy: evidence for disorders in, planning, 780, (R)
Gait function in newly diagnosed children with autism: cerebellar and basal ganglia related, disorder, 819
Gross and fine, function and accompanying impairments in cerebral palsy, 417
Impaired, performance and movement quality in very-low birthweight children at 6 years of age, 718
New, performance test on children with suspected myopathy: a prospective study, A, 39
Specific postural support promotes variation in, behaviour of infants with minor neurological dysfunction, 966
- Movement patterns of the upper extremity and trunk before and after corrective surgery of impaired forearm rotation in patients with cerebral palsy, 436
- Movement-related potentials in high-functioning autism and Asperger's disorder, 272
- Moving beyond restraints: development of hand-arm bimanual intensive therapy (HABIT) for improving bimanual coordination in children with hemiplegic cerebral palsy, 931 (R)

- Murphy P: Use of the ketogenic diet as a long-term treatment for intractable epilepsy, *The*, 949 (C)
- Muscle stiffness and strength and their relation to hand function in children with hemiplegic cerebral palsy, 728
- Myelomeningocele
- Acquisition of autonomy skills in adolescents with, 253
 - Cross-informant agreement between adolescents with, and their parents, 188

N

- Nadeau L and Tessier R: Social adjustment of children with cerebral palsy in mainstream classes: peer perception, 331
- Naming skills of children born preterm in comparison with their term peers at the ages of 9 and 16 years, 28
- Narayanan UG et al.: Initial development and validation of the Caregiver Priorities and Child Health Index of Life with Disabilities (CPCHILD), 804
- Nemer McCoy R et al.: Validation of a Care and Comfort Hypertonicity questionnaire, 181
- Nemer McCoy R et al. reply, 702 (L) [see Morris C and Rosenbaum P]
- Neurodevelopmental
- Comparison of efficacy of Adeli suit and, treatments in children with cerebral palsy, 325
 - outcome in children born to mothers with hypertension in pregnancy: the significance of suboptimal intrauterine growth, 200
 - outcomes in children with HIV infection under 3 years of age, 677
 - outcome of preterm infants with ventricular dilatation with and without associated haemorrhage, 348
 - Predicting additional care in young children with, disability: a systematic literature review, 143 (R)
- Neuroimmunology of dancing eye syndrome in children, 693 (R)
- Neuromotor development in nocturnal enuresis, 744
- Neuromuscular
- Cardiac monitoring and treatment for children and adolescents with, disorders, 164 (C)
 - Cardiac monitoring and treatment for children and adolescents with, disorders, 231 (R)
 - electrical stimulation and dynamic bracing for the management of upper-extremity spasticity in children with cerebral palsy, 559
 - see also Finsterer J
- Neurophysiological perspective on sleep and its maturation, A, 773 (R)
- Neurophysiology of nocturnal enuresis: evoked potentials and prepulse inhibition of the startle reflex, 278
- Neuropsychiatric and neurodevelopmental outcome of children at age 6 and 7 years who screened positive for language problems at 30 months, 361
- New motor performance test on children with suspected myopathy: a prospective study, A, 739
- Newman CJ et al.: Sleep disorders in children with cerebral palsy, 564
- Transient dystonic toe-walking: differentiation from cerebral palsy and a rare explanation for some

- unexplained cases of idiopathic toe-walking, 96
- Neychev VK and Jinnah HA: Sudden death in Lesch-Nyhan disease, 923 (CR)
- Nolan KJ et al.: Coping with Dravet syndrome: parental experiences with a catastrophic epilepsy, 761
- Nørgård B et al.: Maternal herpes labialis in pregnancy and neural tube defects, 674
- Normality and abnormality, 867 (E)
- Nosarti C et al.: Altered functional neuroanatomy of response inhibition in adolescent males who were born very preterm, 265

O

- O'Hare A: Acquiring literacy in the face of severe speech and physical impairments, 628 (C)
- Obstetric brachial plexus
- Botulinum toxin as an adjunct to motor learning therapy and surgery for, injury, 245
 - Reliability of the V-scope system in the measurement of arm movement in children with, palsy, 913
- Oddson B et al.: Clinical use of the Mayo-Portland Adaptability Inventory in rehabilitation after paediatric acquired brain injury, 918
- Oppenheim WL: Internet 2006 The, 707 (E)
- Ozer K et al.: Neuromuscular electrical stimulation and dynamic bracing for the management of upper-extremity spasticity in children with cerebral palsy, 559

P

- Pacinioma of the cauda equina, 991 (CR)
- Paediatric quality of life instruments: a review of the impact of the conceptual framework on outcomes, 311 (R)
- Palatal tremor in childhood: clinical and therapeutic considerations, 982
- Palisano RJ et al.: Stability of the Gross Motor Function Classification System, 424
- Panayiotopoulos syndrome
- a consensus view, 236 (R)
 - see also Ferrie C
 - see also Parisi P
- Parental psychopathology and self-rated quality of life in Nigerian adolescents with epilepsy, 600
- Parisi P et al.: Thinking over the consensus view on the Panayiotopoulos syndrome, 702 (L)
- Parotid and submandibular botulinum toxin A injections for sialorrhoea in children with cerebral palsy, 883
- Parr JR: Epilepsy responds to vagus nerve stimulation in ring chromosome 20 syndrome, 80 (L)
- Passive and dynamic rotation of the lower limbs in children with diplegic cerebral palsy, 176
- Patterns of participation in recreational and leisure activities among children with complex physical disabilities, 337
- PedsQL in pediatric cerebral palsy: reliability, validity, and sensitivity of the Generic Core Scales and Cerebral Palsy Module, *The*, 442
- Periventricular leukomalacia and retinopathy in a term infant born to a mother with asthma, 301 (CR)

Pervasive developmental disorder(s)

- Differences in finger length ratio between males with autism, – not otherwise specified, ADHD, and anxiety disorders, 962
- Trends, perinatal characteristics, and medical conditions in, 896
- Pestivirus as a cause of white matter damage – down but not out, 243 (E)
- Petersen MC et al.: Eating and feeding are not the same: caregivers' perceptions of gastrostomy feeding for children with cerebral palsy, 713
- Philippi H et al.: Infantile posture asymmetry and osteopathic treatment: a randomized therapeutic trial posture, 5
- Physical performance measure for individuals with mucopolysaccharidosis type I, A, 576
- Pin T et al.: Effectiveness of passive stretching in children with cerebral palsy, The, 855 (R)
- Plotkin H et al.: Low doses of pamidronate to treat osteopenia in children with severe cerebral palsy: a pilot study, 709
- Pohl D et al.: Recurrent optic neuritis associated with Chlamydia pneumoniae infection of the central nervous system, 770 (CR)
- Postural management for children with cerebral palsy: consensus statement, 244
- Post-varicella intracranial haemorrhage in a child, 139 (CR)
- Predicting additional care in young children with neurodevelopmental disability: a systematic literature review, 143 (R)
- Preterm
 - Abnormalities in the coordination of respiration and swallow in, infants with bronchopulmonary dysplasia, 595
 - Altered functional neuroanatomy of response inhibition in adolescent males who were born very, 265
 - Biobehavioural reactivity to pain in, infants: a marker of neuromotor development, 471
 - Maturational changes in the rhythms, patterning, and coordination of respiration and swallowing during feeding in, and term infants, 589
 - Naming skills of children born, in comparison with their term peers at the ages of 9 and 16 years, 28
 - Neurodevelopmental outcome of, infants with ventricular dilatation with and without associated haemorrhage, 348
 - Protracted coexistence of transient and permanent circuitry elements in the developing cerebral cortex of late fetuses and, infants, 388 (R)
- Prevalence of
 - cerebral palsy in the West of Ireland 1990–1999, 892
 - cerebral palsy in Turkish children between the ages of 2 and 16 years, 413
- Protean manifestations of childhood narcolepsy and their misinterpretation, The, 307 (R)
- Protracted coexistence of transient and permanent circuitry elements in the developing cerebral cortex of late fetuses and preterm infants, 388 (R)
- Psychosocial
 - problems and seizure-related factors in children with epilepsy, 213

- cognitive, and motor functioning in patients suspected of Sotos syndrome: a comparison between patients with and without NSD1 gene alterations, 582

Pyruvate dehydrogenase E3 binding protein (protein X) deficiency, 756

Q

Quality of life

- Health-related, of children with vision impairment or blindness, 656
 - Paediatric, instruments: a review of the impact of the conceptual framework on outcomes, 311 (R)
 - Parental psychopathology and self-rated, in Nigerian adolescents with epilepsy, 600
- Questionnaire for assessing parents' concerns about their child with hydrocephalus, 108

R

- Randò T et al.: Randò et al. reply, 942 (L)[see Fosi T et al.]
 - Randomized trial of long-chain polyunsaturated fatty acid supplementation in infants with phenylketonuria, A, 207
 - Reading and spelling abilities in children with severe speech impairments and cerebral palsy at 6, 9, and 12 years of age in relation to cognitive development: a longitudinal study, 629
 - Recurrent hemiplegia associated with cerebral vasculopathy following third trimester maternal herpes zoster infection, 988 (CR)
 - Recurrent optic neuritis associated with Chlamydia pneumoniae infection of the central nervous system, 770 (CR)
 - Reddihough D: Measurement tools: new opportunities for children with cerebral palsy, 548 (C)
 - Reid S et al.: Factor V Leiden mutation: a contributory factor for cerebral palsy?, 14
 - Reliability of
 - the Manual Ability Classification System for children with cerebral palsy, 950
 - the V-scope system in the measurement of arm movement in children with obstetric brachial plexus palsy, 913
 - Renal vascular disease in neurofibromatosis type 2: association or coincidence?, 58 (CR)
 - Rennie J and Peebles D: Pestivirus as a cause of white matter damage – down but not out, 243 (E)
 - Respiratory chain deficiency in a female with Aicardi–Goutières syndrome, 227 (CR)
- ### Reviews
- AACPDM systematic review of the effectiveness of therapy for children with cerebral palsy after botulinum toxin A injections, 533
 - Activity limitation in hemiplegic cerebral palsy: evidence for disorders in motor planning, 780
 - Aggravation of epilepsy by antiepileptic drugs, 394
 - Alpers Syndrome: progressive neuronal degeneration of childhood with liver disease, 998
 - An approach to children with chronic daily headache, 994

- Balancing certainty and uncertainty in clinical medicine, 74
- Cardiac monitoring and treatment for children and adolescents with neuromuscular disorders, 231
- Clinical assessment of spasticity in children with cerebral palsy: a critical review of available instruments, 64
- Effectiveness of passive stretching in children with cerebral palsy, The, 855
- Evidence-based child neurology, 622
- First-onset tics in patients with attention-deficit-hyperactivity disorder: impact of stimulants, 616
- Measurement in Duchenne muscular dystrophy: considerations in the development of a neuromuscular assessment tool, 540
- Medication in the treatment of the behavioural sequelae of traumatic brain injury, 697
- Moving beyond restraints: development of hand-arm bimanual intensive therapy (HABIT) for improving bimanual coordination in children with hemiplegic cerebral palsy, 931
- Neuroimmunology of dancing eye syndrome in children, 693
- Neurophysiological perspective on sleep and its maturation, A, 773
- Paediatric quality of life instruments: a review of the impact of the conceptual framework on outcomes, 311
- Panayiotopoulos syndrome: a consensus view, 236
- Predicting additional care in young children with neurodevelopmental disability: a systematic literature review, 143
- Protean manifestations of childhood narcolepsy and their misinterpretation, The, 307
- Protracted coexistence of transient and permanent circuitry elements in the developing cerebral cortex of late fetuses and preterm infants, 388
- Systematic review of the self-concept of children with cerebral palsy compared with children without disability, A, 151
- Terminology used in research reports of developmental coordination disorder, 937
- Rice L et al.: Intrathecal baclofen use in children with spasticity: a physicians' survey, 1006 (L)
- Riikonen R et al.: Cerebrospinal fluid insulin-like growth factors IGF-1 and IGF-2 in infantile autism, 751
- Rinehart NJ et al.:
 Gait function in newly diagnosed children with autism: cerebellar and basal ganglia related motor disorder, 819
 Movement-related potentials in high-functioning autism and Asperger's disorder, 272
- Roessner V et al.: First-onset tics in patients with attention-deficit-hyperactivity disorder: impact of stimulants, 616 (R)
- Roig Quilis M: Congenital oro-motor disorders, 787 (E)
- Rosenbaum P: Infantile posture asymmetry and osteopathic treatment: a randomized therapeutic trial, 4 (C)
- Russell DJ and Gorter JW: Russell and Gorter reply, 158 (L)
- S**
 Saavalainen P et al.: Naming skills of children born preterm in comparison with their term peers at the ages of 9 and 16 years, 28
- Sawin KJ et al.: Cross-informant agreement between adolescents with myelomeningocele and their parents, 188
- Scarborough DR et al.: Abnormal physiological responses to touch among children with persistent feeding difficulties, 460
- Schmidhauser J et al.: Impaired motor performance and movement quality in very-low birthweight children at 6 years of age, 718
- Schoemaker M et al.: Evaluation of the Developmental Coordination Disorder Questionnaire as a screening instrument, 668
- Scholtes VAB et al.: Clinical assessment of spasticity in children with cerebral palsy: a critical review of available instruments, 64 (R)
- Scott E and Mawson SJ: Measurement in Duchenne muscular dystrophy: considerations in the development of a neuromuscular assessment tool, 540 (R)
- Seizure(s)
 Autistic regression associated with, onset in an infant with tuberous sclerosis, 609 (CR)
 Clustering syncope in a young male with temporal lobe, 687 (CR)
 Interobserver reliability of the visual interpretation of the electroencephalograms in children with newly diagnosed, 374
 see also Gilbert DL
 see also Stroink et al.
- Sensorimotor performance in school-age children with autism, developmental language disorder or low IQ, 33
- Serdaroglu A: et al.: Prevalence of cerebral palsy in Turkish children between the ages of 2 and 16 years, 413
- Severe falciparum malaria and acquired childhood language disorder, 51
- Severe memory impairment in a child with bihippocampal injury after status epilepticus, 223 (CR)
- Sex differences in prenatal oral-motor function and development, 465
- Shahwan A et al.: Atypical presentation of ataxia-oculomotor apraxia type 1, 529 (CR)
- Shields N et al.: A systematic review of the self-concept of children with cerebral palsy compared with children without disability, 151 (R)
- Sleep
 electroencephalograms in young children with autism with and without regression, 604
 disorders in children with cerebral palsy, 564
 Neurophysiological perspective on, and its maturation, A, 773 (R)
 problems of Chinese children with pervasive developmental disorders in Hong Kong: correlation with parental stress, 650
- Social
 adjustment of children with cerebral palsy in mainstream classes: peer perception, 331

Social continued...

integration of adults with cerebral palsy, 643

Spasticity

Clinical assessment of, in children with cerebral palsy: a critical review of available instruments, 64 (R)

Neuromuscular electrical stimulation and dynamic bracing for the management of upper-extremity, in children with cerebral palsy, 559

Use of tiagabine in pediatric, management, The, 456

Specific memory impairment in a multiple disabled male with fragile X syndrome and temporal lobe epilepsy, 378 (CR)

Specific postural support promotes variation in motor behaviour of infants with minor neurological dysfunction, 966

Speech

Acquiring literacy in the face of severe, and physical impairments, 628 (C)

Reading and spelling abilities in children with severe, impairments and cerebral palsy at 6,9, and 12 years of age in relation to cognitive development: a longitudinal study, 629

Stability of the Gross Motor Function Classification System, 424

Standardized assessment of behavior and adaptive living skills in juvenile neuronal ceroid lipofuscinosis, 259

Status epilepticus

Intravenous lidocaine for, during childhood, 220

Severe memory impairment in a child with bihippocampal injury after, 223 (CR)

Steenbergen B and Gordon AM: Activity limitation in hemiplegic cerebral palsy: evidence for disorders in motor planning, 780, (R)

Steenbergen B: Using the Manual Ability Classification System to facilitate communication about manual abilities of children with cerebral palsy, 948, (C)

Steindl R et al.: Effect of age and sex on maturation of sensory systems and balance control, 477

Stores G: Protean manifestations of childhood narcolepsy and their misinterpretation, The, 307 (R)

Stroink H et al.:

Interobserver reliability of the visual interpretation of the electroencephalogram in children with newly diagnosed seizures, 374

Stroink et al reply, 1010 (L). [see Gilbert DL]

Sudden death in Lesch-Nyhan disease, 923 (CR)

Sullivan PB et al.: Gastrostomy feeding in cerebral palsy: too much of a good thing?, 877

Synergistic muscle activation during maximum voluntary activation in children with and without spastic cerebral palsy, 788 (C)

Synergistic muscle activation during maximum voluntary contractions in children with and without spastic cerebral palsy, 789

Systematic review of the self-concept of children with cerebral palsy compared with children without disability, A, 151 (R)

T

Taylor DC: Gemütlichkeit – A Pro or a Con in Medicine?, 1004 (Personal view)

Tedroff K et al.: Synergistic muscle activation during maximum voluntary contractions in children with and without spastic cerebral palsy, 789

Terminology used in research reports of developmental coordination disorder, 937 (R)

Thinking over the consensus view on the Panayiotopoulos syndrome, 702 (L)

Transient dystonic toe-walking: differentiation from cerebral palsy and a rare explanation for some unexplained cases of idiopathic toe-walking, 96

Treatment of

adductor spasticity with botulinum toxin A in children with cerebral palsy: a randomized, double-blind, placebo-controlled study, 10

the heart in Duchenne muscular dystrophy, 163 (E)

Trends

in cerebral palsy prevalence in Northern Ireland, 1981–1997, 405 (C)

in the prevalence of cerebral palsy in Northern Ireland, 1981–1997, 406

perinatal characteristics, and medical conditions in pervasive developmental disorders, 896

Tuberous sclerosis

Autistic regression associated with seizure onset in an infant with, 609 (CR)

complex: clinical features, diagnosis, and prevalence within Northern Ireland, 495

genes, brain, and behaviour, 404 (E)

Unilateral reverse ocular bobbing caused by, 851 (CR)

Turner AE: Efficacy of Adeli suit treatment in children with cerebral palsy, The, 324 (C)

U

Unilateral below elbow test: a function test for children with unilateral congenital below elbow deficiency, The, 569

Unilateral reverse ocular bobbing caused by tuberous sclerosis, 851 (CR)

Use of ergonomic spoons by people with cerebral palsy: effects on food spilling and movement kinematics, The, 888

Use of the ketogenic diet as a long-term treatment for intractable epilepsy, The, 949 (C)

Use of tiagabine in pediatric spasticity management, The, 456

Using the Manual Ability Classification System to facilitate communication about manual abilities of children with cerebral palsy, 948 (C)

V

Vagus nerve stimulation for treatment of epilepsy in Rett syndrome, 683

- Validation of a Care and Comfort Hypertonicity Questionnaire, 181
- Validity and reproducibility of a new diagnostic motor performance test in children with suspected myopathy, 20
- van den Beld WA et al.:
New motor performance test on children with suspected myopathy: a prospective study, A, 739
- Validity and reproducibility of a new diagnostic motor performance test in children with suspected myopathy, 20
- Van der Burg JJW et al.: Drooling in children with cerebral palsy: effect of salivary flow reduction on daily life and care, 103
- van der Linden ML et al.: Passive and dynamic rotation of the lower limbs in children with diplegic cerebral palsy, 176
- van Roon D and Steenbergen B: Use of ergonomic spoons by people with cerebral palsy: effects on food spilling and movement kinematics, The, 888
- Van Zelst BR et al.: Activities of daily living in children with hemiplegic cerebral palsy: a cross-sectional evaluation using the Assessment of Motor and Process Skills, 723
- Vargus-Adams J: Longitudinal use of the Child Health Questionnaire in childhood cerebral palsy, 343
- Varni JW et al.: PedsQL in pediatric cerebral palsy: reliability, validity, and sensitivity of the Generic Core Scales and Cerebral Palsy Module, The, 442
- Vaz DV et al.: Muscle stiffness and strength and their relation to hand function in children with hemiplegic cerebral palsy, 728
- Verhoef M et al.: Functional independence among young adults with spina bifida in relation to hydrocephalus and level of lesion, 114
- Vicari S et al.: Evidence from two genetic syndromes for the independence of spatial and visual working memory, 126
- Viholainen H et al.: Early motor development and later language and reading skills in children at risk of familial dyslexia, 367
- Vision in children with hydrocephalus, 836
- Visual side effects from transdermal scopolamine (hyoscine), 137 (CR)
- Voigt RG et al.: Developmental dissociation, deviance, and delay: occurrence of attention-deficit-hyperactivity disorder in individuals with and without borderline-to-mild intellectual disability, 831
- Vollmer B et al.: Neurodevelopmental outcome of preterm infants with ventricular dilatation with and without associated haemorrhage, 348
- von Gontard A et al.: Neuromotor development in nocturnal enuresis, 744
- ## W
- West SL et al.: Recurrent hemiplegia associated with cerebral vasculopathy following third trimester maternal herpes zoster infection, 991 (CR)
- West syndrome
see Fosi T
see Randò T
- Wier ML et al.: Congenital anomalies associated with autism spectrum disorders, 500
- Wilfong AA and Schultz RJ: Vagus nerve stimulation for treatment of epilepsy in Rett syndrome, 683
- Wilson J: Neuroimmunology of dancing eye syndrome in children, 693 (R)
- Wouters H et al.: Specific memory impairment in a multiple disabled male with fragile X syndrome and temporal lobe epilepsy, 378 (CR)
- Wunderlich CA and Krach LE: Gram-negative meningitis and infections in individuals treated with intrathecal baclofen for spasticity: a retrospective review, 450
- ## XYZ
- Yochman A et al.: Co-occurrence of developmental delays among preschool children with attention-deficit-hyperactivity disorder, 483
- ### 2006 Supplements
- British Paediatric Neurology Association (Suppl. 104)
- Australasian Academy of Cerebral Palsy & Developmental Medicine (Suppl. 105)
- American Academy for Cerebral Palsy and Developmental Medicine (Suppl. 106)
- European Academy of Childhood Disability (Suppl. 107)
- DOI: 10.1017/S0012162206002234

Erratum

'Low doses of pamidronate to treat osteopenia in children with severe cerebral palsy: a pilot study'

Plotkin et al.

DMCN Vol 48: 709-712

We would like to correct an error that was printed in the above mentioned article:

p 711: The sentence 'Ionized calcium levels in those three cases were 1.01, 1.09, and 1.11mg/dl respectively.' should have read: 'Ionized calcium levels in those three cases were 1.01, 1.09, and 1.11mmol/l respectively.'

We sincerely apologize for this error.

DOI: 10.1017/S0012162206002246

